

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Registration No.: AN 50665894 0001

Report No.: CN25VIGP 001

Holder: Gokin Solar Co.,Ltd.
Office 1102, No. 58 Huajin Street,
Hengqin Free Trade Zone,
Zhuhai
519000 Guangdong
P.R. China

Product: PV Module

Type designation listed on the next page

This certificate of conformity is based on an evaluation of a sample of the above-mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive (EU) 2014/35, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

Certification Body

Date: 2025-02-27


Weichun Li



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Registration No.: AN 50665894 0001

Product: PV Module

Identification: Type Designation

Max. System Voltage (Up to 1500VDC)
With 1/2 cut of mono c-Si cells:
GK-2-66HTBD-xxxM (xxx = 670-725, in step of 5,
132 cells, Pmax@BNPI = 740-795)
GK-2-60HTBD-xxxM (xxx = 610-655, in step of 5,
120 cells, Pmax@BNPI = 675-720)
GK-2-66HPBD-xxxM (xxx = 650-670, in steps of 5,
132 cells, Pmax@BNPI = 710-730)
GK-2-60HPBD-xxxM (xxx = 590-610, in steps of 5,
120 cells, Pmax@BNPI = 645-665)
GK-1-78HTBD-xxxM (xxx = 610-650, in steps of 5,
156 cells, Pmax@BNPI = 675-715)
GK-1-72HTBD-xxxM (xxx = 560-600, in steps of 5,
144 cells, Pmax@BNPI = 615-660)
GK-1-60HTBD-xxxM (xxx = 465-500, in steps of 5,
120 cells, Pmax@BNPI = 510-550)
GK-1-54HTBD-xxxM (xxx = 420-450, in steps of 5,
108 cells, Pmax@BNPI = 460-495)
GK-1-72HPBD-xxxM (xxx = 540-560, in steps of 5,
144 cells, Pmax@BNPI = 590-610)
GK-1-60HPBD-xxxM (xxx = 450-465, in steps of 5,
120 cells, Pmax@BNPI = 490-505)
GK-1-54HPBD-xxxM (xxx = 405-420, in steps of 5,
108 cells, Pmax@BNPI = 440-455)
GK-3-72HTBD-xxxM (xxx = 590-620, in steps of 5,
144 cells, Pmax@BNPI = 650-685)
GK-3-54HTBD-xxxM (xxx = 440-470, in steps of 5,
108 cells, Pmax@BNPI = 485-520)
GK-4-66HTBD-xxxM (xxx = 590-625, in steps of 5,
132 cells, Pmax@BNPI = 650-690)
GK-4-48HTBD-xxxM (xxx = 425-455, in steps of 5,
96 cells, Pmax@BNPI = 465-495)
xxx represents output power at STC and BNPI in Wp



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

CERTIFICATE

of Conformity

Low Voltage Directive (EU) 2014/35

Registration No.: AN 50665894 0001

Product: PV Module

Identification: Type Designation

Remarks:

Valid in conjunction with TÜV Rheinland certificate
PV 50665885 0001.



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.